संख्या- 31 /2022/I/210237/2022 /001-71-4099-67-2021

प्रेषक,

आलोक कुमार ,
प्रमुख सचिव
उ0प्र0 शासन

सेवा में,

निदेशक,
राजकीय आयुर्विज्ञान संस्थान ,
ग्रेटर नोएडा।

चिकित्सा शिक्षा अनुभाग-4 लखनऊ : दिनांक 07 सितंबर, 2022

विषय:- वित्तीय वर्ष 2022-23 में अनुदान संख्या-31 के अन्तर्गत मानक मद-26 -मशीनें और सज्जा/उपकरण और संयंत्र में प्राविधानित धनराशि की वित्तीय स्वीकृति के संबंध में।

महोदय,

उपर्युक्त विषयक अपने पत्र संख्या-जी.आई.एम.एस./2022/1755, दिनांक 24-08-2022 का कृपया संदर्भ ग्रहण करने का कष्ट करें।

2- इस संबंध में मुझे यह कहने का निदेश हुआ है कि वित्तीय वर्ष-2022-23 में अनुदान संख्या-31 के अन्तर्गत मानक मद-26 -मशीनें और सज्जा/उपकरण और संयंत्र की प्राविधानित धनराशि के सापेक्ष एम०सी०आई० मानको को पूर्ण किये जाने एवं संस्थान के सुचारू रूप से संचालन हेतु प्रस्ताव के साथ उपलब्ध करायी गयी सूची को अनुमोदित करते हुए उपकरणों को क्रय किये जाने हेतु रू0 20,00,00,000.00 (रूपया बीस करोड मात्र) की धनराशि अवमुक्त करते हुए आपके निवर्तन पर रखे जाने की श्री राज्यपाल महोदय सहर्ष स्वीकृति निम्नलिखित शर्तो/प्रतिबन्धों के अधीन प्रदान करते है:-

नियम व शर्ते / प्रतिबन्धों

1. स्वीकृत धनराशि को वर्तमान वित्तीय वर्ष 2022-23 में ही व्यय कर लिया जायेगा।
2. धनराशि का आहरण तभी किया जाएगा जब उपकरण क्रय संबंधी समस्त औपचारिकताओं की पूर्ति संस्थान द्वारा कर ली जाये।
3. धनराशि का आहरण वास्तविक आवश्यकतानुसार किया जायेगा तथा इसे आहरित कर किसी पी0एल0ए0/बैंक /डाकघर आदि में नहीं रखा जायेगा।
4. वित्त (आय-व्ययक)अनुभाग- 1 के कार्यालय ज्ञाप दिनांक 07-06-2022 में उल्लिखित दिशा निर्देशों का पूर्ण अनुपालन किया जाएगा।
5. उपकरणों का क्रय वित्तीय हस्तपुस्तिका खण्ड- 5 भाग-1 उ0प्र0 प्रक्योरमेन्ट मैनुअल एवं उद्योग विभाग द्वारा समय.समय पर जारी होने वाले क्रय संबंधी आदेशों में दी गयी व्यवस्था/प्रक्रिया के अनुसार किया जायेगा , इसमें किसी प्रकार का विचलन वित्तीय अनियमितता का द्योतक होगा। भण्डार क्रय संबंधी नियमों का पूर्ण अनुपालन सुनिश्चित किया जाएगा।
6. प्रस्तावित उपकरणों की गुणवत्ता मानक एवं विशिष्टियों की जिम्मेदारी निदेशक/वित्त अधिकारी/संबंधित विभागाध्यक्ष की होगी।
7. प्रश्नगत उपकरणों की स्थापना से पूर्व यह सुनिश्चित कर लिया जायेगा कि इनके रखने हेतु पर्याप्त स्थान एवं इनके संचालन हेतु दक्ष मानव संसाधन उपलब्ध है।
8. संबंधित उपकरण/संयंत्र की क्रय प्रक्रिया में ई-प्रोक्योरमेन्ट/ई-टेन्डरिंग प्रणाली से संबंधित शासनादेशों का पूर्णतः अनुपालन सुनिश्चित किया जाएगा।
9. क्रय किये जाने वाले उपकरण चिकित्सा शिक्षा अनुभाग- 1 द्वारा निर्गत उपकरणों के क्रय संबंधी विभिन्न शासनादेशों के अनुसार ही उपकरण क्रय किये जाएगें।
10. उपकरणों का क्रय सक्षम स्तर का अनुमोदन प्राप्त कर किया जाएगा। किसी भी स्थिति में स्वीकृत धनराशि से अधिक धनराशि का व्यय नहीं किया जाएगा।
11. वर्तमान वित्तीय वर्ष में उक्त निर्गत धनराशि का उपयोगिता प्रमाण-पत्र (क्रयादेश/उपकरण स्थापना की सूचना सहित) यथासमय शासन को उपलब्ध कराया जाएगा।
12. दर अनुबन्ध/निविदा निर्गत होने से पूर्व वित्त नियंत्रक द्वारा मुख्य चिकित्सा अधीक्षक/ संबंधित विभागाध्यक्ष से इस आशय का प्रमाण-पत्र प्राप्त कर लेगें कि प्रस्तावित उपकरण किसी एक विशेष कम्पनी की विशिष्टियां न हो तथा बाजार में उपलब्ध उच्च स्तर की कम्पनियों की विशिष्टियों का यथासम्भव समावेश किया जाए।

1- **यह शासनादेश इलेक्ट्रानिकली जारी किया गया है, अतः इस पर हस्ताक्षर की आवश्यकता नही है ।**

2- **इस शासनादेश की प्रमाणिकता वेब साइट** http://shasanadesh.up.gov.in **से सत्यापित की जा सकती है ।**

13. वित्त नियंत्रक द्वारा सी 0वी0सी0 एवं वित्त मंत्रालय भारत-सरकार द्वारा समय.समय पर इस संबंध में निर्गत दिशा-निर्देशों का अनुपालन सुनिश्चित किया जाएगा।
14. क्रय किये जाने वाले उपकरण संस्थान की विभागवार अति आवश्यकता एवं एम0सी0आई0 के मानक के अनुसार ही उपकरणों का क्रय सुनिश्चित किया जाएगा।
15. धनराशि को व्यय किये जाने के पूर्व वित्त अधिकारी , राजकीय आयुर्विज्ञान संस्थान, ग्रेटर नोएडा द्वारा बिलों पर महानिदेशक, चिकित्सा शिक्षा एवं प्रशिक्षण, लखनऊ के प्रतिहस्ताक्षर प्राप्त किये जायेंगे।
16. क्रय किये जा रहे उपकरणों के आडिट का उत्तरदायित्व निदेशक संस्थान का होगा।
17. संस्थान द्वारा उपकरणों की सूची में उल्लिखित जो उपकरण रू0 50.00 लाख से अधिक के हैए को एच0एल0पी0सी0 के माध्यम से क्रय किये जाने की कार्यवाही सुनिश्चित की जायेगी।
18. उपकरणों को सुसंगत नियमों के तहत गुणवत्ता के साथ पारदर्शी प्रक्रिया अपनाते हुए युक्ति संगत दरों पर क्रय किया जाय तथा उपकरणों का Specification गुणवत्ता/आवश्य कता/उपयोगिता सुनिश्चित करने का दायित्व महानिदेशक , चिकित्सा शिक्षा एवं प्रशिक्षण, लखनऊ तथा संस्थान के निदेशक एवं वित्त अधिकारी का होगा।
19. प्रश्नगत उपकरणों की तकनीकी विशिष्टताएं डा 0 अविनाश अग्रवाल की अध्यक्षता में गठित समिति के अनुमोदनोपरान्त ही क्रय की कार्यवाही सुनिश्चित की जाय।
20. संस्था न द्वारा उपर्युक्तो उपकरणों की सूची में जो रू 0 50.00 लाख से अधिक के उपकरण है, को एच0एल0पी0सी0 के माध्यूम से क्रय किये जाने की कार्यवाही सुनिश्चित की जायेगी।
2- इस संबंध में होने वाला व्यय रुपये 20,00,00,000 (रुपये बीस करोड़ मात्र) को चालू वित्तीय वर्ष 20222023 के आय-व्ययक मे अनुदान संख्या 031 लेखा शीर्षक 4210031051400 राजकीय आयुर्विज्ञान संस्थान, ग्रेटर नोएडा मानक मद 26 मशीनें और सज्जा /उपकरण और संयंत्र के नामे डाला जायेगा।
3- यह आदेश वित्त (आय - व्ययक) अनुभाग - 1 के कार्यालय ज्ञाप संख्या - 13 / 2022/ बी-1-454/दस-2022-231/2022, दिनांक- 07-जून 2022 में प्रशासकीय विभाग को उक्तवत प्रतिनिधानित अधिकार के अंतर्गत निर्गत किये जा रहे है।

भवदीय,

आलोक कुमार ,
प्रमुख सचिव

संख्या-31 /2022/ I/210237/2022 /001-71-4099-67-2021, तद् दिनांक।
प्रतिलिपि निम्नलिखित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित:-
1. महालेखाकार, (लेखा एवं हकदारी) प्रथम/द्वितीय, उ0प्र0, इलाहाबाद।
2. प्रधान महालेखाकार, (सिविल आडिट) प्रथम/द्वितीय, उ0प्र0, इलाहाबाद।
3. कोषाधिकारी, ग्रेटर नोएडा, गौतमबुद्धनगर।
4. महानिदेशक, चिकित्सा शिक्षा एवं प्रशिक्षण, उ0प्र0 लखनऊ।
5. वित्त अधिकारी, राजकीय आयुर्विज्ञान संस्थान, नोएडा।
6. वित्त (व्यय-नियंत्रण) अनुभाग-3/नियोजन अनुभाग-4/ वित्त (आय-व्यक) अनुभाग-2
7. निदेशक, स्थानीय निधि लेखा परीक्षा विभाग, उ0प्र0 इलाहाबाद।
8. नोडल अधिकारी/ संयुक्त सचिव, चिकित्सा शिक्षा विभाग, उ0प्र0 शासन।
9. गार्ड फाइल।

आज्ञा से,

अनिल कुमार सिंह ,
संयुक्त सचिव

1- **यह शासनादेश इलेक्ट्रानिकली जारी किया गया है, अत: इस पर हस्ताक्षर की आवश्यकता नही है ।**
2- **इस शासनादेश की प्रमाणिकता वेब साइट** http://shasanadesh.up.gov.in **से सत्यापित की जा सकती है ।**

संख्या-31 /2022/ I/210237/2022 /001-71-4099-67-2021का संलग्नक

S.No.	Equipment required	Department	Quantity required	Cost one unit (lakhs)	Approx price (lakhs)	Amount Sanction by Shashan	If the required cost is more than the sanction amount than mention the reason	Required by MCI Y/N	Required for patient care, teaching and research	Specification Master Soochi/ GIMS	Justification for procurement of equipment
1	Emabalming machine/ Masterflex for cadaverous	Anatomy	1	3	3	Nil	As proposed by HOD	No	Yes	Shashan Soochi 1, Page Number 305-306	Patient care/ Teaching/ Research/ NMC requirement
2	Binocular Microscope	Anatomy/ Pathology	10	0.5	5	Nil	As proposed by HOD	No	Yes	Shashan Soochi 1, Page Number 245	Patient care/ Teaching/ Research/ NMC requirement
3	Routine Flow Fluid Warmer	Anesthesia	1	1	1	Nil	As proposed by HOD	No	Yes	Shashan Soochi 2, Page Number 407-408	Patient care/ Teaching/ Research/ NMC requirement
4	LMA Set	Anesthesia	All sizes (7 sizes)	0.25/ unit	1.75	Nil	As proposed by HOD	No	Yes	Shashan Soochi 2, Page Number 507	Patient care/ Teaching/ Research/ NMC requirement
5	Vertical gel electrophoresis with power	Biochemistry	1	5	5	Nil	As proposed by	No	Yes	Shashan Soochi 1, Page Number 316	Patient care/ Teaching/

http://shasanadesh.up.gov.in

	pack						HOD				Research/ NMC requirement
6	High End Surgical Electro Cautery with Vessel Sealer	ENT-1/Ortho-1/ Obs & Gynae-1	3	9	27	Nil	As proposed by HOD	No	Yes	Shashan Soochi 1, Page Number 175-176	Patient care/ Teaching/ Research/ NMC requirement
7	High End Suction Machine	ENT-1/Ortho-2	3	3.5	10.5	Nil	As proposed by HOD	No	Yes	Shashan Soochi 2, Page Number 457-458	Patient care/ Teaching/ Research/ NMC requirement
8	Automated BP Instrument	General	50	0.025	1.25	Nil	As proposed by HOD	Yes	Yes	Shashan Soochi 1, Page Number 160	Patient care/ Teaching/ Research/ NMC requirement
9	X-Ray View box	General	20	0.06	1.2	Nil	As proposed by HOD	Yes	Yes	Shashan Soochi 1, Page Number 299	Patient care/ Teaching/ Research/ NMC requirement
10	Digital Weighing Machine (Adult)	General	10	0.2	2	Nil	As proposed by HOD	Yes	Yes	Shashan Soochi 1, Page Number 159	Patient care/ Teaching/ Research/ NMC requirement
11	Instrument trolley	General	30	0.2	6	Nil	As proposed by HOD	Yes	Yes	Shashan Soochi 1, Page Number 69-70	Patient care/ Teaching/ Research/ NMC requirement

http://shasanadesh.up.gov.in

1- **यह शासनादेश इलेक्ट्रानिकली जारी किया गया है, अतः इस पर हस्ताक्षर की आवश्यकता नही है ।**

2- **इस शासनादेश की प्रमाणिकता वेब साइट** http://shasanadesh.up.gov.in **से सत्यापित की जा सकती है ।**

12	Strechter Trolley	General	30	0.4	12	Nil	As proposed by HOD	No	Yes	Shashan Soochi 1, Page Number 57-58	Patient care/ Teaching/ Research/ NMC requirement
13	Wheel Chair	General	50	0.2	10	Nil	As proposed by HOD	No	Yes	Shashan Soochi 1, Page Number 61-62	Patient care/ Teaching/ Research/ NMC requirement
14	Examination Table	General	30	0.6	18	Nil	As proposed by HOD	No	Yes	Shashan Soochi 1, Page Number 233	Patient care/ Teaching/ Research/ NMC requirement
15	Body Warmer (Patient Warmer)	General	6	2.5	15	Nil	As proposed by HOD	No	Yes	Shashan Soochi 2, Page Number 459-460	Patient care/ Teaching/ Research/ NMC requirement
16	Wash Station with 2 Sinks for Dirty Area	General	4	2.5	10	Nil	As proposed by HOD	No	Yes	Shashan Soochi 1, Page Number 122	Patient care/ Teaching/ Research/ NMC requirement
17	Air Purification System	General	5	2.5	12.5	Nil	As proposed by HOD	No	Yes	Shashan Soochi 2, Page Number 832	Patient care/ Teaching/ Research/ NMC requirement
18	Administrative Table	General	10	1	10	Nil	As proposed by HOD	No	Yes	Shashan Soochi 1, Page Number 72-74	Patient care/ Teaching/ Research/ NMC requireme

http://shasanadesh.up

											nt
19	High Back Chairs	General	30	0.24	7.2	Nil	As proposed by HOD	No	Yes	Shashan Soochi 1, Page Number 75-77	Patient care/ Teaching/ Research/ NMC requirement
20	Mid Back Chairs for Visitors	General	50	0.17	8.5	Nil	As proposed by HOD	No	Yes	Shashan Soochi 1, Page Number 126-128	Patient care/ Teaching/ Research/ NMC requirement
21	Racks	General	200	0.13	26	Nil	As proposed by HOD	No	Yes	Shashan Soochi 1, Page Number 141	Patient care/ Teaching/ Research/ NMC requirement
22	Direct Ophthalmoscope	Medicine	7	0.25	1.75	Nil	As proposed by HOD	Yes	Yes	Shashan Soochi 1, Page Number 235	Patient care/ Teaching/ Research/ NMC requirement
23	Defibrillator cum Monitor	Medicine	4	7.5	30	Nil	As proposed by HOD	No	Yes	Shashan Soochi 2, Page Number 430-431	Patient care/ Teaching/ Research/ NMC requirement
24	Operation Theater Table	Obs & Gynae-2 /Ortho-1	3	35	105	Nil	As proposed by HOD	Yes	Yes	Shashan Soochi 2, Page Number 323-325	Patient care/ Teaching/ Research/ NMC requirement

http://shasanadesh.up.gov.in

1- **यह शासनादेश इलेक्ट्रानिकली जारी किया गया है, अतः इस पर हस्ताक्षर की आवश्यकता नही है ।**

2- **इस शासनादेश की प्रमाणिकता वेब साइट** http://shasanadesh.up.gov.in **से सत्यापित की जा सकती है ।**

25	Fetal doppler	Obs & Gynae	4	0.075	0.3	Nil	As proposed by HOD	Yes	Yes	Shashan Soochi 1, Page Number 34-35	Patient care/ Teaching/ Research/ NMC requirement
26	NST/CTG/Fetal Monitor	Obs & Gynae	2	7.5	15	Nil	As proposed by HOD	No	Yes	Shashan Soochi 2, Page Number 610	Patient care/ Teaching/ Research/ NMC requirement
27	High Frequency Ventilator (HFOV)	Peadiatrics	2	48	96	Nil	As proposed by HOD	Yes	Yes	Shashan Soochi 3, Page Number 922-923	Patient care/ Teaching/ Research/ NMC requirement
28	Nebulizer-Ultrasonic Type	Peadiatrics	10	0.3	3	Nil	As proposed by HOD	No	Yes	Shashan Soochi 1, Page Number 279	Patient care/ Teaching/ Research/ NMC requirement
29	Phototherapy System	Peadiatrics	4	1	4	Nil	As proposed by HOD	No	Yes	Shashan Soochi 2, Page Number 816	Patient care/ Teaching/ Research/ NMC requirement
30	Four unit isolated Organ Bath	Pharmacology	5	0.25	1.25	Nil	As proposed by HOD	Yes	Yes	Shashan Soochi 1, Page Number 205	Patient care/ Teaching/ Research/ NMC requirement
31	Kymograph student electric Independent unit	Pharmacology	5	0.1	0.5	Nil	As proposed by HOD	Yes	Yes	Shashan Soochi 1, Page Number 206	Patient care/ Teaching/ Research/ NMC requireme

http://shasanadesh.up.gov.in

											nt
32	Marey's tambour	Physiology	15	0.12	1.8	Nil	As proposed by HOD	No	Yes	Shashan Soochi 1, Page Number 289	Patient care/ Teaching/ Research/ NMC requirement
33	EMG/NCV Machine	Physiology	1	25	25	Nil	As proposed by HOD	No	Yes	Shashan Soochi 2, Page Number 765-766	Patient care/ Teaching/ Research/ NMC requirement
34	Spirometer	Physiology	1	4.5	4.5	Nil	As proposed by HOD	No	Yes	Shashan Soochi 1, Page Number 294	Patient care/ Teaching/ Research/ NMC requirement
35	Uroflometry	Surgery	1	3.5	3.5	Nil	As proposed by HOD	Yes	Yes	Shashan Soochi 2, Page Number 517	Patient care/ Teaching/ Research/ NMC requirement
36	Pediatric Airway (to facilitate bronchoscopy practice)	Skill lab	1	2.5	2.5	Nil	As proposed by HOD	No	Yes	Shashan Soochi File No.71-1002/1/2022- -1- dated-26.07.2022	Patient care/ Teaching/ Research/ NMC requirement
37	Web-based Digital Video & Audio Management System for Recording, Debriefing, Assessment and Evaluation	Skill lab	1	42	42	Nil	As proposed by HOD	No	Yes	Shashan Soochi File No.71-1002/1/2022- -1- dated-26.07.2022	Patient care/ Teaching/ Research/ NMC requirement

http://shasanadesh.up.gov.in

1- **यह शासनादेश इलेक्ट्रानिकली जारी किया गया है, अतः इस पर हस्ताक्षर की आवश्यकता नही है ।**

2- **इस शासनादेश की प्रमाणिकता वेब साइट** http://shasanadesh.up.gov.in **से सत्यापित की जा सकती है ।**

38	Advanced Neonatal Simulator	Skill lab	1	72	72	Nil	As proposed by HOD	No	Yes	Shashan Soochi File No.71-1002/1/2022- -1- dated-26.07.2022	Patient care/ Teaching/ Research/ NMC requirement
39	Maternal Fetal Simulator	Skill lab	1	60	60	Nil	As proposed by HOD	No	Yes	Shashan Soochi File No.71-1002/1/2022- -1- dated-26.07.2022	Patient care/ Teaching/ Research/ NMC requirement
40	Breast examination model / mannequin	Skill lab	1	3.5	3.5	Nil	As proposed by HOD	No	Yes	Shashan Soochi File No.71-1002/1/2022- -1- dated-26.07.2022	Patient care/ Teaching/ Research/ NMC requirement
41	First aid, Bandaging, splinting	Skill lab	1	13.5	13.5	Nil	As proposed by HOD	No	Yes	Shashan Soochi File No.71-1002/1/2022- -1- dated-26.07.2022	Patient care/ Teaching/ Research/ NMC requirement
42	Advanced Nursing Manikin Adult	Skill lab	1	17	17	Nil	As proposed by HOD	No	Yes	Shashan Soochi File No.71-1002/1/2022- -1- dated-26.07.2022	Patient care/ Teaching/ Research/ NMC requirement
43	Advanced Nursing Manikin Infant	Skill lab	1	15	15	Nil	As proposed by HOD	No	Yes	Shashan Soochi File No.71-1002/1/2022- -1- dated-26.07.2022	Patient care/ Teaching/ Research/ NMC requirement
44	NG Tube Care	Skill lab	1	2.25	2.25	Nil	As proposed by HOD	No	Yes	Shashan Soochi File No.71-1002/1/2022- -1- dated-26.07.2022	Patient care/ Teaching/ Research/ NMC requireme

http://shasanadesh.up.gov.in

											nt
45	BP Arm Trainer	Skill lab	1	2.5	2.5	Nil	As proposed by HOD	No	Yes	Shashan Soochi File No.71-1002/1/2022- -1- dated-26.07.2022	Patient care/ Teaching/ Research/ NMC requirement
46	Episiotomy Trainer	Skill lab	1	2.25	2.25	Nil	As proposed by HOD	No	Yes	Shashan Soochi File No.71-1002/1/2022- -1- dated-26.07.2022	Patient care/ Teaching/ Research/ NMC requirement
47	Anaesthesia Workstation with Electronic Medical Recording System	Anaesthesia	2	77	154	Nil	As proposed by HOD	No	Yes	SGPGI Specifications	Patient care/ Teaching/ Research/ NMC requirement
48	Specialized Dental Chair	Dental	2	19	38	Nil	As proposed by HOD	No	Yes	AIIMS, NewDelhi Specifications	Patient care/ Teaching/ Research/ NMC requirement
49	Piezoelectric bone cutting system	Dental	1	20	20	Nil	As proposed by HOD	No	Yes	AIIMS, NewDelhi Specification	Patient care/ Teaching/ Research/ NMC requirement
50	Physiodispensor with implant kit	Dental	1	9	9	Nil	As proposed by HOD	No	Yes	KGMU Specifications	Patient care/ Teaching/ Research/ NMC requirement

http://shasanadesh.up.gov.in

51	Cutting Drill	Dental	1	15	15	Nil	As proposed by HOD	No	Yes	KGMU Specifications	Patient care/ Teaching/ Research/ NMC requirement
52	Q- Switched Nd - Yag Laser (For Pigmentory Disorders)	Dermatology	1	67	67	Nil	As proposed by HOD	No	Yes	AIIMS, Kalyani Specifications	Patient care/ Teaching/ Research/ NMC requirement
53	Mobile video cart complete set (4K Endovision system)	ENT/OBG/ Surgery	3	80	240	Nil	As proposed by HOD	No	Yes	SGPGI Specifications	Patient care/ Teaching/ Research/ NMC requirement
54	ENT Treatment Unit	ENT	1	77	77	Nil	As proposed by HOD	No	Yes	AIIMS, Jodhpur Specifications	Patient care/ Teaching/ Research/ NMC requirement
55	Comprehensive Clinical Examination System	Medicine	1	110	110	Nil	As proposed by HOD	No	Yes	SGPGI Specifications	Patient care/ Teaching/ Research/ NMC requirement
56	Fibroscan with Accessories	Medicine	1	265	265	Nil	As proposed by HOD	No	Yes	AIIMS, Bhuneshwar Specifications	Patient care/ Teaching/ Research/ NMC requirement
57	Penta Head Microscope with digital HDMI imaging system	Pathology	1	16	16	Nil	As proposed by HOD	Yes	Yes	KGMU Specifications	Patient care/ Teaching/ Research/ NMC requireme

http://shasanadesh.up.gov.in

											nt
58	T-Piece Resuscitator	Paediatrics	4	1	4	Nil	As proposed by HOD	Yes	Yes	AIIMS, New Delhi Specifications	Patient care/ Teaching/ Research/ NMC requirement
59	ANS (Autonomic Nervous System) Testing Computerized Machine	Physiology	1	65	65	Nil	As proposed by HOD	No	Yes	KGMU Specifications	Patient care/ Teaching/ Research/ NMC requirement
60	Body composition Analyzer	Physiology	1	12	12	Nil	As proposed by HOD	No	Yes	RML, Luknow Specifications	Patient care/ Teaching/ Research/ NMC requirement
61	Comprehensive Chest and Lungs Examination System	Pulmonary Medicine	1	56	56	Nil	As proposed by HOD	No	Yes	AIIMS, Bathinda Specifications	Patient care/ Teaching/ Research/ NMC requirement
62	Mid end Colour Doppler Ultrasound scanning Machine	Radio Diagnosis	1	70	70	Nil	As proposed by HOD	No	Yes	KGMU Specifications	Patient care/ Teaching/ Research/ NMC requirement
63	Pleurovideoscope /Semi rigid thoracoscope	Pulmonary Medicine	1	20	20	Nil	As proposed by HOD	No	Yes	GIMS Specifications/Soochi Specification Page No.- 634 only Ist Part	Patient care/ Teaching/ Research/ NMC requirement

http://shasanadesh.up.gov.in

64	Gynaecological examination couch / table	Obs & Gynae	2	9	18	Nil	As proposed by HOD	Yes	Yes	GIMS Specifications	Patient care/ Teaching/ Research/ NMC requirement
65	LEEP Electrosurgical unit system	Obs & Gynae	1	12	12	Nil	As proposed by HOD	Yes	Yes	GIMS Specifications	Patient care/ Teaching/ Research/ NMC requirement
66	Photocopier Machine with scanner (Colour)	IT	1	9	9	Nil	As proposed by HOD	No	Yes	GIMS Specifications	Patient care/ Teaching/ Research/ NMC requirement
67	Photocopier Machine with scanner (Black & White)	IT	1	6	6	Nil	As proposed by HOD	No	Yes	GIMS Specifications	Patient care/ Teaching/ Research/ NMC requirement
					2000						

Rupees Twenty Crores Only

आज्ञा से,

अनिल कुमार सिंह ,
संयुक्त सचिव

http://shasanadesh.up.gov.in

1- **यह शासनादेश इलेक्ट्रानिकली जारी किया गया है, अतः इस पर हस्ताक्षर की आवश्यकता नही है ।**
2- **इस शासनादेश की प्रमाणिकता वेब साइट** http://shasanadesh.up.gov.in **से सत्यापित की जा सकती है ।**